

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	("6134243", "5765164", "5627936", "5765164", "6167409", "5893109", "5778395", "5815415").pn.	USPAT	OR	OFF	2005/03/08 22:36
S2	2355	(@ad <"20011508" @rlad <"20011508") AND (root WITH storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 22:38
S3	466	(@ad <"20011508" @rlad <"20011508") AND (root WITH storage)	US-PGPUB	OR	OFF	2005/03/08 22:38
S4	1168	(@ad <"20011508" @rlad <"20011508") AND (root WITH storage)	USPAT	OR	OFF	2005/03/08 22:38
S5	325	(@ad <"20011508" @rlad <"20011508") AND (root NEAR3 storage)	USPAT	OR	OFF	2005/03/08 22:39
S6	131	(@ad <"20011508" @rlad <"20011508") AND (root NEAR3 storage)	US-PGPUB	OR	OFF	2005/03/08 22:44
S7	0	("200300366888").PN.	US-PGPUB	OR	OFF	2005/03/08 22:41
S8	1	("200300366888").PN.	US-PGPUB	OR	OFF	2005/03/08 22:41
S9	104	(@ad <"20010815" @rlad <"20010815") AND (root NEAR3 storage)	US-PGPUB	OR	OFF	2005/03/08 23:02
S10	323	(@ad <"20010815" @rlad <"20010815") AND (root NEAR3 storage)	USPAT	OR	OFF	2005/03/08 23:24
S11	1773	(@ad <"20010815" @rlad <"20010815") AND (model NEAR3 storage)	USPAT	OR	OFF	2005/03/08 23:24
S12	266	(@ad <"20010815" @rlad <"20010815") AND (model NEAR3 storage) AND header	USPAT	OR	OFF	2005/03/08 23:25
S13	92	(@ad <"20010815" @rlad <"20010815") AND (model NEAR3 storage) AND header AND root	USPAT	OR	OFF	2005/03/08 23:43
S14	22	(@ad <"20010815" @rlad <"20010815") AND (model NEAR3 storage) AND header AND root	US-PGPUB	OR	OFF	2005/03/08 23:25
S15	201	(@ad <"20010815" @rlad <"20010815") AND (model WITH storage).ab.	USPAT	OR	OFF	2005/03/08 23:49

S16	1912	(@ad <"20010815" @rlad <"20010815") AND (model WITH storage).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 23:49
S17	52	(@ad <"20010815" @rlad <"20010815") AND (model WITH storage).ab.	US-PGPUB	OR	OFF	2005/03/08 23:54
S18	25	(@ad <"20010815" @rlad <"20010815") AND (root SAME directory SAME header)	US-PGPUB	OR	OFF	2005/03/08 23:55
S19	83	(@ad <"20010815" @rlad <"20010815") AND (root SAME directory SAME header)	USPAT	OR	OFF	2005/03/08 23:55
S20	110	(@ad <"20010815" @rlad <"20010815") AND (root SAME directory SAME header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 00:10
S21	1	("6654772").PN.	USPAT	OR	OFF	2005/03/08 23:56
S22	0	(@ad <"20010815" @rlad <"20010815") AND (root SAME storage SAME header SAME model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 00:10
S23	31	(@ad <"20010815" @rlad <"20010815") AND (root SAME storage SAME header) AND model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 00:11
S25	218	(@ad <"20010815" @rlad <"20010815") AND (file SAME (model NEAR3 storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:34
S29	1	((("20030037022") or ("20020194484") or ("20020194581") or ("6063128"))).PN.	USPAT	OR	OFF	2005/03/10 21:08
S30	4	((("20030037022") or ("20020194484") or ("20020194581") or ("6063128"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/10 21:09
S31	1	S30 AND root	USPAT	OR	OFF	2005/03/10 21:10
S32	3	S30 AND root	US-PGPUB; USPAT	OR	OFF	2005/03/10 21:13

S33	1	S30 AND graphic	US-PGPUB; USPAT	OR	OFF	2005/03/10 21:15
S34	3	S30 AND graphic	US-PGPUB; USPAT	OR	ON	2005/03/10 21:17
S35	2	S30 AND header	US-PGPUB; USPAT	OR	ON	2005/03/10 21:24
S36	2	S30 AND CAD	US-PGPUB; USPAT	OR	ON	2005/03/10 21:28
S37	4	S30 AND model\$4	US-PGPUB; USPAT	OR	ON	2005/03/10 21:28
S38	170	(@ad <"20010815" @rlad <"20010815") AND (file NEAR3 (structure format)) AND (model\$4 NEAR3 storage) AND root	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 21:34
S39	403	(@ad <"20010815" @rlad <"20010815") AND (file NEAR3 (structure format)) AND (model\$4 NEAR3 storage)	US-PGPUB; USPAT	OR	OFF	2005/03/10 21:35
S40	262	(@ad <"20010815" @rlad <"20010815") AND (file SAME (model\$4 NEAR3 storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:34
S41	10	(@ad <"20010815" @rlad <"20010815") AND (root SAME (model\$4 NEAR3 storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:35
S42	405	(@ad <"20010815" @rlad <"20010815") AND (file NEAR3 (structure format)) AND (model\$4 NEAR3 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:36
S43	11	(@ad <"20010815" @rlad <"20010815") AND (file NEAR3 (structure format)).ab. AND (model\$4 NEAR3 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:36